























































































































































































456. Papatheodorou G, Kutcher SP: Divalproex sodium treatment in late adolescent and young adult acute mania. *Psychopharmacol Bull* 1993; 29:213–219 [B]
457. Papatheodorou G, Kutcher SP, Katic M, Szalai JP: The efficacy and safety of divalproex sodium in the treatment of acute mania in adolescents and young adults: an open clinical trial. *J Clin Psychopharmacol* 1995; 15:110–116 [B]
458. Wagner KD: Safety and efficacy of divalproex in childhood bipolar disorder, in *Abstracts of Posters Presented at the 2000 Annual Meeting of the American Academy of Child and Adolescent Psychiatry*. Washington, DC, AACAP, 2000 [G]
459. Kastner T, Friedman DL: Verapamil and valproic acid treatment of prolonged mania. *J Am Acad Child Adolesc Psychiatry* 1992; 31:271–275 [D]
460. Kastner T, Friedman DL, Plummer AT, Ruiz MQ, Henning D: Valproic acid for the treatment of children with mental retardation and mood symptomatology. *Pediatrics* 1990; 86:467–472 [G]
461. Whittier MC, West SA, Galli VB, Raute NJ: Valproic acid for dysphoric mania in a mentally retarded adolescent. *J Clin Psychiatry* 1995; 56:590–591 [G]
462. Deltito JA, Levitan J, Damore J, Hajal F, Zambenedetti M: Naturalistic experience with the use of divalproex sodium on an in-patient unit for adolescent psychiatric patients. *Acta Psychiatr Scand* 1998; 97:236–240 [E]
463. Kowatch RA, Suppes T, Carmody TJ, Bucci JP, Hume JH, Kromelis M, Emslie GJ, Weinberg WA, Rush AJ: Effect size of lithium, divalproex sodium, and carbamazepine in children and adolescents with bipolar disorder. *J Am Acad Child Adolesc Psychiatry* 2000; 39:713–720 [A]
464. Woolston JL: Case study: carbamazepine treatment of juvenile-onset bipolar disorder. *J Am Acad Child Adolesc Psychiatry* 1999; 38:335–338 [G]
465. Frazier JA, Biederman J, Jacobs TG, Tohen ME, Toma V, Feldman PD, Rater MA, Tarazi RA, Kim GA, Garfield SB, Gonzalez-Heydrich J, Nowlin ZM: Olanzapine in the treatment of bipolar disorder in juveniles, in *New Clinical Drug Evaluation Unit 2000 Program Abstracts*. Washington, DC, NCDEU, 2000, poster 46 [G]
466. Chang KD, Ketter TA: Mood stabilizer augmentation with olanzapine in acutely manic children. *J Child Adolesc Psychopharmacol* 2000; 10:45–49 [G]
467. Soutullo CA, Sorter MT, Foster KD, McElroy SL, Keck PE: Olanzapine in the treatment of adolescent acute mania: a report of seven cases. *J Affect Disord* 1999; 53:279–283 [E]
468. Frazier JA, Meyer MC, Biederman J, Wozniak J, Wilens TE, Spencer TJ, Kim GS, Shapiro S: Risperidone treatment for juvenile bipolar disorder: a retrospective chart review. *J Am Acad Child Adolesc Psychiatry* 1999; 38:960–965 [F]
469. Ryback RS, Brodsky L, Munasifi F: Gabapentin in bipolar disorder (letter). *J Neuropsychiatry Clin Neurosci* 1997; 9:301 [G]
470. Soutullo CA, Casuto LS, Keck PE Jr: Gabapentin in the treatment of adolescent mania: a case report. *J Child Adolesc Psychopharmacol* 1998; 8:81–85 [G]
471. Hill MA, Courvoisier H, Dawkins K, Nofal P, Thomas B: ECT for the treatment of intractable mania in two prepubertal male children. *Convuls Ther* 1997; 13:74–82 [G]
472. Rey JM, Walter G: Half a century of ECT use in young people. *Am J Psychiatry* 1997; 154: 595–602 [F]